

Plexus® Plastic Cleaner Protectant & Polish**SECTION 1: IDENTIFICATION**

PRODUCT NAME: Plexus® Plastic Cleaner Protectant & Polish
SYNONYMS: emulsion-based plastic cleaner aerosol consumer product




MANUFACTURER: BTI Chemical Company Inc.
ADDRESS: 10120 W. Flamingo Rd, STE 411, Las Vegas NV 89147

EMERGENCY PHONE: 818 406-5675

RECOMMENDED USE:

Consumer Product. Shake well before use. Use only as directed for plastic cleaning, polishing, and protection.

SECTION 2: HAZARD(S) IDENTIFICATION

Health	Environmental	Physical
<p>GHS Hazard Classification:</p> <p>Aspiration Toxicity: Category 1 Signal Word: Danger Hazard Statement: H304: May be fatal if swallowed and enters airways</p> <p>Skin Corrosion/Irritation: Category 2 Serious Eye Damage/Eye Irritation: Category 2B Acute Inhalation Toxicity: Category 4 Specific Target Organ Toxicity (Single Exposure) (Narcotic Effects): Category 3 Signal Word: Warning Hazard Statements: H315+H320: Causes Skin and eye Irritation H332: Harmful if Inhaled H336: May cause drowsiness and dizziness.</p> <p>Pictograms:</p> 	<p>GHS Hazard Classification:</p> <p>Chronic Aquatic Toxicity: Category 2 Signal Word: none Hazard Statement: H411 Toxic to aquatic life with long lasting effects</p> <p>Pictogram:</p> 	<p>GHS Hazard Classification:</p> <p>Flammable aerosol: Category 2 Signal Word: Warning Hazard Statements: H223: Flammable aerosol H229: May burst if heated</p> <p>Pictogram:</p> 

PRECAUTIONARY STATEMENTS:**Prevention**

P101+P102+P103: If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use.

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211: Do not spray on an open flame or other ignition source.

P251: Do not pierce or burn container, even after use.

P261: Avoid breathing vapors/spray

P264: Wash hands thoroughly after handling.

P271: Use only outdoors or in a well-ventilated area

P273: Avoid release to the environment.

P280: Wear protective gloves and eye protection.

Response

P301+ P310: If SWALLOWED: Immediately get medical attention.

P331: Do NOT induce vomiting.

P302+P352: IF ON SKIN (or hair): Wash with plenty of water.

P332+P313: If skin irritation occurs: Get medical advice/attention.

P362 + P364: Take off contaminated clothing and wash it before reuse.

Plexus® Plastic Cleaner Protectant & Polish

P304 + P340: IF INHALED get medical attention if you feel unwell. Remove person to fresh air and keep comfortable for breathing.
P312: Get medical assistance if you feel unwell.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 +313: If eye irritation persists: Get medical attention.

P391: Collect spillage

Storage

P410+P412: Protect from sunlight. Do not expose container to temperatures exceeding 50 °C (122 °F)

P405: Store locked up

Disposal

P501: Dispose of container in accordance with local/regional/national regulations.

Cans with contents depleted through consumer use are not considered a RCRA waste.

HAZARDS NOT OTHERWISE CLASSIFIED: none

STATEMENT ON % OF MIXTURE CONTAINING INGREDIENTS(S) WITH UNKNOWN ACUTE TOXICITY: none

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**HAZARDOUS INGREDIENTS:**

CHEMICAL NAME (COMMON NAME)	CAS NUMBER	QUANTITY Weight %
Aliphatic petroleum distillates	64742-89-8	20-25*
Isobutene	75-28-5	10-15*
Propane	74-98-6	1-5*

*TRADE SECRET STATEMENT: The exact concentration of composition has been withheld as a trade secret.

SECTION 4: FIRST AID MEASURES

Inhalation	Skin	Eyes	Ingestion
IF spray is INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical assistance if the person feels unwell.	IF ON SKIN (or hair): Wash with plenty of water. Take off contaminated clothing and wash it before reuse. If skin irritation occurs, get medical advice/attention.	If in EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical attention.	If SWALLOWED: Get immediate medical attention. Do NOT induce vomiting.
Most Important Acute Symptoms or Effects			
Narcotic effects if inhaled at high concentrations: light headedness, dizziness, drowsiness, headache, unconsciousness. May be irritating to mucous membranes and upper respiratory tract. Intentional misuse by deliberately concentrating and inhaling this product may be harmful or fatal.	Defatting or drying of the skin.	Eye irritation, stinging, redness, tearing	Nausea, vomiting, diarrhea. Contains aliphatic petroleum distillates. Swallowing large amounts of product will result in vomiting and aspiration of the solvent into lungs.
Most Important Delayed Symptoms or Effects			
Pre-existing asthma-like conditions may be aggravated. Pre-existing heart disorders may be aggravated if exposed to high concentrations.	Redness, burning, drying, and cracking of skin		Gastrointestinal distress

Plexus® Plastic Cleaner Protectant & Polish**SECTION 5: FIRE-FIGHTING MEASURES**

Suitable Extinguishing Equipment	Specific Hazards that Develop from the Surrounding Fire	Protective Equipment
<p>Small fire: dry chemicals, carbon dioxide, foam, water fog, inert gas (nitrogen)</p> <p>Large fire: foam, water fog, water spray</p> <p>Do NOT use a solid stream of water directly on the fire, as the water may cause the fuel to spread to a larger area.</p> <p>Cool uninvolved container to prevent bursting.</p>	<p>Heat from surrounding fire can cause the aerosol container to burst from pressure build up. The following hazards are about the contents of the aerosol container:</p> <p>Product vapors are heavier than air.</p> <p>Flammable contents are lighter than water.</p> <p>Flash point of contents is sub-ambient.</p> <p>Hazardous decomposition products: carbon dioxide, carbon monoxide, oxides of nitrogen and silicon, smoke, soot.</p>	<p>Wear self-contained breathing apparatus with full face-piece operated in positive pressure demand mode.</p>

SECTION 6: ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS: Eliminate all ignition sources. Do not touch the spill with bare skin or walk in a spill. Use nitrile, latex, or rubber gloves, eye protection, and rubber/plastic boots for large spills of unpackaged product concentrate.

EMERGENCY PROCEDURES:

Containment of Product Concentrate	Clean Up Procedure: Large Spills During Manufacturing or Transportation	Clean Up Procedure: Consumer Use
<p>Eliminate all ignition sources.</p> <p>Prevent product from entering water resources</p>	<p>Unpackaged Product Concentrate: Adsorb spill with inert material such as sand, soil, vermiculite, diatomaceous earth. Scoop up solids, Sweep up. Transfer to closable containers for disposal as RCRA D001 Hazardous Waste (ignitable waste).</p> <p>Aerosol Cans: Dispose of non-empty aerosol containers via a licensed aerosol recycler. Liquid concentrate in can is RCRA D001 Hazardous Waste.</p>	<p>Wipe spill up with adsorbent material (paper towels, newspaper), allow to dry, and transfer residue to waste container.</p> <p>Empty aerosol cans as post-consumer waste are not considered a hazardous waste. Give the empty cans to an aerosol recycler, or dispose of them as household solid waste. Do not incinerate empty cans. Non-empty aerosol cans are considered hazardous, and must be disposed of via a licensed aerosol recycler.</p>

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling	Conditions for Safe Storage
<p>Keep out of reach of children. Read label before use.</p> <p>Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</p> <p>Do not spray on an open flame or other ignition source.</p> <p>Do not pierce or burn container, even after use.</p> <p>Avoid breathing vapors/spray</p> <p>Wash hands thoroughly after handling.</p> <p>Use only outdoors or in a well-ventilated area</p> <p>Avoid release to the environment.</p> <p>Wear protective gloves and eye protection.</p>	<p>Protect from sunlight.</p> <p>Do not expose container to temperatures exceeding 50 °C (122 °F)</p> <p>Store locked up.</p> <p>Do not store near open flame.</p> <p>Do not smoke or use an ignition source near or in the storage area.</p>

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

VENTILATION and ENGINEERING CONTROLS: In a manufacturing environment, use mechanical ventilation or a large open area to maintain exposure limits below TLV. In consumer applications, use only in large open areas.

RESPIRATORY PROTECTION: In a manufacturing environment, use a NIOSH/MSHA-approved air-supplied respirator where petroleum distillate vapors exceed TLV.

EYE PROTECTION: In a manufacturing environment, chemical splash goggles are required; protective eyewear is encouraged for consumers using aerosols.

Plexus® Plastic Cleaner Protectant & Polish

SKIN PROTECTION: In a manufacturing environment, resistant gloves such as nitrile, latex, or neoprene are required. Consumers who are sensitive to petroleum distillates are encouraged to use nitrile, latex, or neoprene gloves.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: In the manufacturing environment, impervious clothing and boots are recommended to prevent exposure from large spills; in the consumer environment, avoid skin and eye contact, and avoid breathing mists.

WORK HYGIENIC PRACTICES: Wash hands with soap and water after handling this product. Avoid direct contact with skin and eyes.

EXPOSURE LIMITS:

CHEMICAL NAME (COMMON NAME)	CAS NUMBER	REGULATORY (5/27/2015)	RECOMMENDED (5/27/2105)	
		OSHA PEL 8 hr TWA	NIOSH REL 10 hr TWA	ACGIH 8 hr TWA
Aliphatic petroleum distillates	64742-89-8	500 ppm	86 ppm	247 ppm (reciprocal calculation method)
Isobutane	75-28-5	not established	800 ppm	15 minute STEL: 1000 ppm
Propane	74-98-6	1000 ppm	1000 ppm	Monitor minimal oxygen content to prevent asphyxia

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Unless otherwise indicated, all properties are of the unpackaged product concentrate.

APPEARANCE:

white to off-white creamy emulsion in an aerosol can

ODOR: lemon

pH: 7.6

RELATIVE DENSITY (water = 1): 0.91

MELTING/FREEZING POINT: 6 °C (43 °F)

INITIAL BOILING POINT / BOILING RANGE:

88 °C (190 °F)

SOLUBILITY: negligible

PARTITION COEFFICIENT (n-octanol/water):

estimated Log K_{ow} ~ 6

VISCOSITY: not determined; unknown

VAPOR PRESSURE: not determined; unknown

VAPOR DENSITY (air = 1): 1.4

EVAPORATION RATE (butyl acetate =1): 1

FLASH POINT:

15 °C (59 °F) (emulsion)

<<0 °C (<<32°F) (propellant)

FLAMMABILITY: flammable aerosol

UPPER/LOWER FLAMMABILITY OR EXPLOSIVE LIMITS:

UEL: 9%; LEL: .9%

AUTO-IGNITION TEMPERATURE: 232 °C (450 °F)

DECOMPOSITION TEMPERATURE: not determined; unknown

VOC of Aerosol Product (40 CFR 59 Subpart C or CARB Method 310) (calculated): 37%

SECTION 10: STABILITY AND REACTIVITY

REACTIVITY: Not reactive

CHEMICAL STABILITY: This product is stable under normal use and storage conditions. Emulsion separates into two phases upon standing; shaking the container restores the emulsion.

OTHER:

Incompatibilities/Materials to Avoid: ignition sources, excessive heat, strong oxidizing agents such as peroxides, permanganates, nitrates, nitrites, chlorine gas.

Hazardous Decomposition Products: thermal decomposition will evolve petroleum decomposition products, steam, and oxides of carbon, nitrogen, and silicon

Hazardous Polymerization: Will not occur

Plexus® Plastic Cleaner Protectant & Polish**SECTION 11: TOXICOLOGICAL INFORMATION**

Likely Routes of exposure: Skin and eye contact; inhalation of aerosol spray

Inhalation	Skin	Eyes
Acute Exposure Effects		
Narcotic effects if inhaled at high concentrations: light headedness, dizziness, drowsiness, headache, unconsciousness. May be irritating to mucous membranes and upper respiratory tract. Intentional misuse by deliberately concentrating and inhaling this product may be harmful or fatal.	Defatting or drying of the skin.	Eye irritation, stinging, redness, tearing
Delayed Exposure Effects		
Pre-existing asthma-like conditions may be aggravated. Pre-existing heart disorders may be aggravated if exposed to high concentrations.	Redness, burning, drying, and cracking of skin	
Chronic Exposure Effects		
Unknown	Unknown	unknown

LD₅₀ Oral: Non-toxic, per 16CFR1500 (CPSC Federal Hazardous Substances Act): no mortalities were observed at an oral dose of 5000 mg/kg in the FHSA Acute Oral Toxicity Screen (report date 02/21/1995, private laboratory study)

LC₅₀ Inhalation: unknown; not tested; not estimated

LD₅₀ Dermal: unknown; not tested; not estimated

CARCINOGENICITY: This product contains no listed carcinogens according to ACGIH, IARC, NTP, OSHA, and/or Proposition 65 in concentrations of 0.1% or greater.

SECTION 12: ECOLOGICAL INFORMATION

LC₅₀ Aquatic Toxicity: not tested; estimated <1 mg/L (petroleum hydrocarbons)

Biodegradability: not tested; some components of this mixture are estimated to be not readily biodegradable

Bioaccumulation potential: not tested; some components of this mixture are estimated to bioaccumulate.

SECTION 13: DISPOSAL CONSIDERATIONS**WASTE DISPOSAL METHOD:**

Large Scale, Unpackaged Product Concentrate: Dispose in accordance with Federal, State, and Local regulations as a hazardous waste (due to ignitability), using a certified hazardous waste hauler. Do not discharge effluent containing this product into lakes, streams, ponds or estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit, and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems.




Large Scale, Non-Empty Aerosol Cans: Dispose of non-empty aerosol containers via a licensed aerosol recycler. Liquid concentrate in can is RCRA D001 Hazardous Waste.

RCRA HAZARD CLASS: Large quantities of this unpackaged product concentrate are a RCRA hazardous waste (D001); the hazard class is ignitability.

Consumer Product Waste:

Wipe small spills up with adsorbent material (paper towels, newspaper), allow to dry, and transfer residue to waste container. Empty aerosol cans as post-consumer waste are not considered a hazardous waste. Give the empty cans to an aerosol recycler, or dispose of them as household solid waste. Do not incinerate empty cans. Non-empty aerosol cans are considered hazardous, and must be disposed of via a licensed aerosol recycler. The liquid in the can is a RCRA hazardous waste (D001, ignitability)

Plexus® Plastic Cleaner Protectant & Polish**SECTION 14: TRANSPORT INFORMATION****U.S. DEPARTMENT OF TRANSPORTATION (US DOT):**

<p>Bulk Shipment of Unpackaged Concentrate UN Number: 1268 Proper Shipping Name: UN1268, Petroleum Distillates, n.o.s. (Naphtha Solvent) 25% mixture Hazard Class/ Division: 3 Packing Group: II Labeling Requirements:</p>  <p>Large Shipment of Aerosol Containers: UN Number: 1950 Proper Shipping Name: UN1950 Class 2.1, Aerosols, Flammable, (each not exceeding 1 L capacity) Hazard Class/ Division: 2.1 Labeling Requirements:</p> 	<p>Retail Consumer Commodity Shipments where aerosol containers are ≤1 L UN Number: 1950 Proper Shipping Name: UN1950 Aerosols, 2.1, LTD QTY Labeling Requirements:</p> 
---	---

SECTION 15: REGULATORY INFORMATION**U.S. FEDERAL REGULATIONS**

CPSC (CONSUMER PRODUCT SAFETY COMMISSION): This aerosol consumer product is packaged and labeled in compliance with 16CFR1500 (CPSC Federal Hazardous Substances Act).

TSCA (TOXIC SUBSTANCE CONTROL ACT):
All ingredients in this product are in compliance with US TSCA Chemical Substance Inventory Requirements.

CERCLA (COMPREHENSIVE RESPONSE COMPENSATION, AND LIABILITY ACT) (40 CFR302.4):
Reportable Quantity of spilled bulk product ("characteristic of ignitability") is 100 pounds.

EPCRA EXTREMELY HAZARDOUS SUBSTANCES (40CFR 355.30): Not regulated.

EPCRA SECTIONS 311/312 HAZARD CATEGORIES (40CFR 370.10):
Reportable quantity of stored bulk product ("Fire Hazard") is ≥1000 pounds.

EPCRA SECTION 313 TOXIC CHEMICAL NOTIFICATION AND RELEASE REPORTING (40 CFR 372.65):
In the manufacturing environment, this product is exempt from toxic chemical release reporting requirements because it contains no 40CFR372 Subpart D toxic chemicals above the *de minimus* levels.
As a consumer product, Plexus® Plastic Cleaner Protectant and Polish is exempt from all toxic chemical release reporting requirements, per 40CFR372.38(a) and (c).

Plexus® Plastic Cleaner Protectant & Polish**STATE REGULATIONS:****California Proposition 65:**

Warning: This product may contain less than 0.04% of a chemical known to the State of California to cause cancer

Warning: This product may contain less than 0.03% of a chemical known to the State of California to cause birth defects or other reproductive harm.

Ingredient Name	CAS #	% in aerosol product	Cancer	Reproductive	No Significant Risk Level for chemicals causing cancer	Maximum Acceptable Dosage Level for chemicals causing reproductive toxicity
Benzene	71-43-2	<0.003	Yes	Yes	6.4 µg/day (ingestion) 13 µg/day (inhalation)	24 µg/day (ingestion) 49 µg/day (inhalation)
Diethanolamine	111-42-2	<0.04	Yes	No	Not established	Not applicable
Ethyl benzene	100-41-4	<0.03	Yes	No	41 µg/day (ingestion) 54 µg/day (inhalation)	Not applicable
Naphthalene	91-20-3	<0.003	Yes	No	5.8 µg/day (ingestion)	No
Toluene	108-88-3	<0.03	No	Yes	Not applicable	7000 µg/day (ingestion)

California Air Resources Board: unregulated product category; VOC (Method 310) 37% (calculated)

State Right to Know Listings:

State	The following components are listed:
New Jersey	benzene, diethanolamine, ethyl benzene, isobutane, naphtha, propane, toluene
Pennsylvania	benzene, ethanolamine, ethyl benzene, isobutane, naphtha, propane

SECTION 16: OTHER INFORMATION**REFERENCES:**

17 CCR 94509 Standards for Consumer Products
 16 CFR 1500 (CPSC)
 29 CFR 1910 (OSHA)
 40 CFR 300-399 (EPA)
 40 CFR 59 Subpart C (EPA Consumer Products VOC Regulations)
 49 CFR 172.101 (DOT)
 ACGIH 2015 Threshold Limit Values for Chemical Substances and Physical Agents
 California Code of Regulations: Title 8, Div 1, Ch 4, Subchapter 7, Group 16 (PEL and STEL for Air Contaminants)
 Globally Harmonized System of Classification and Labeling of Chemicals, United Nations, ST/SG/AC.10/30/Rev.5
 International Agency for Research on Cancer (IARC) monograph search
 National Toxicology Program (NTP) status search
 NIOSH Pocket Guide to Chemical Hazards
 Persistent, Bioaccumulative, and Toxic Profiles Estimated for Organic Chemicals
 Proposition 65 List: Chemicals Known to the State to Cause Cancer or Reproductive Toxicity, May 11 2015
 Proposition 65 Status Report on No Significant Risk Levels for Carcinogens and Maximum Allowable Dose Levels for Chemicals Causing Reproductive Toxicity, 08/15/2013
 The Registry of Toxic Effects of Chemical Substances

PREPARED BY: B.Belmont for BTI Chemical Company Inc.

REVISION HISTORY:

Rev. 0: 01/05/1994: original OSHA MSDS
 Rev. 1: 11/16/2007: updated to include 16 sections
 Rev. 2: 10/25/2010: reviewed for content compliance to current OSHA requirements, updated current TWA values, corrected typos
 Rev. 3: 03/22/2012: reviewed for content compliance to current OSHA requirements
 Rev. 4: 05/28/2015: reviewed for content compliance to current OSHA requirements, revised format to GHS compliance, updated to current TLV and Prop 65 lists.

DISCLAIMER: The information contained in this SDS is based on technical data and estimates or tests believed to be accurate at the time of preparation. The information in this document is based on the present state of knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. The SDS preparer shall not be held liable for any damage resulting from handling or from contact with the product.